

MATERIAL SAFETY DATA SHEET

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: ASTEC WPM # 9

PART NUMBER:

GENERAL USE: Protective coating

PRODUCT DESCRIPTION: White viscous liquid, slight characteristic acrylic odor



MANUFACTURER'S NAME

Insulating Coatings Corporation

DATE PREPARED: March 9, 2009

SUPERSEDES: April 1, 2008

Page 1 of 4

ADDRESS (NUMBER, STREET, P.O. BOX)

956 South Hwy 41

TELEPHONE NUMBER FOR INFORMATION

(800) 345-5306

(CITY, STATE AND ZIP CODE)

Inverness, FL 34450

COUNTRY

USA

EMERGENCY TELEPHONE NUMBER

ChemTel Inc. 1- (800) 255-3924 Intl. + 01 (813) 248-0585

SECTION 2 - HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

WARNING! Harmful or fatal if swallowed, harmful if inhaled. May cause allergic skin reaction. May cause irritation to skin, eyes, and respiratory tract. Affects central nervous system Hazard Symbols for this product - Xn. Risk Phrases - R 20/22

POTENTIAL HEALTH EFFECTS

INHALATION: None expected, however, certain individuals may experience minor nausea or headaches. Breathing airborne particles or dust from mixing, spraying, sanding, grinding, etc. may cause irritation to respiratory tract.

SKIN: Brief contact may cause slight irritation; prolonged contact may cause moderate irritation or dermatitis.

EYES: High vapor concentration or contact may cause irritation and discomfort.

INGESTION: May cause abdominal discomfort or pain, nausea, vomiting, dizziness, or possible convulsions or coma; large doses may be fatal.

CARCINOGENICITY

NTP?

No

IARC MONOGRAPHS?

No

OSHA REGULATED?

No

This product contains trace amounts of the following substances known to the state of California to cause cancer: 1,4 Dioxane, Ethylene Oxide, and Acetaldehyde.

SECTION 3 - HAZARDOUS INGREDIENTS

HAZARDOUS COMPONENTS	% (by weight)	CAS #	EINECS #	Hazard Symbol	RISK PHRASES Full Text Section 16
Ethylene glycol (a,b,c)	1 - 5	107-21-1	203-473-3	Xn	R-22
Zinc oxide (as zinc) (a)	1 - 5	1314-13-2	215-222-5	Xn	R-20

The remaining components of this product are non-hazardous or are in small enough quantities as to not meet regulatory thresholds for disclosure. These components contain no substances or impurities which would influence the classification of this product.

(a,c) See Section 15

(b) Indicates that the Resource Conservation and Recovery Act (RCRA) has determined the waste for this chemical is listed as hazardous and must be handled according to regulations in 40 CFR 260-281.

MATERIAL SAFETY DATA SHEET									
PRODUCT NAME: ASTEC WPM # 9 March 9, 2009								Page 2 of 4	
SECTION 4 - FIRST AID MEASURES									
INHALATION: Remove affected person to fresh air; if symptoms persist seek medical attention.									
SKIN: Remove contaminated clothing; wash affected area with soap and water; launder contaminated clothing before reuse; if irritation persists, seek medical attention.									
EYES: Check for and remove contact lenses. Flush eyes with clear running water for 15 minutes while holding eyelids open; if irritation persists, seek medical attention.									
INGESTION: Give two glasses of water for dilution; Induce vomiting by sticking fingers down throat; never give anything by mouth to an unconscious person; seek medical attention.									
SECTION 5 - FIRE FIGHTING MEASURES									
GENERAL HAZARDS: Product is not considered flammable or combustible. Products of combustion include compounds of carbon, hydrogen and oxygen, including carbon monoxide.									
EXTINGUISHING MEDIA Carbon dioxide, water, water fog, dry chemical, chemical foam.									
FIRE FIGHTING PROCEDURES Keep containers cool with water spray to prevent container rupture due to steam buildup; floor will become slippery if material is released.									
UNUSUAL FIRE AND EXPLOSION HAZARDS None									
HAZARDOUS COMBUSTION PRODUCTS Smoke, fumes or vapors, oxides of carbon.									
SECTION 6 - ACCIDENTAL RELEASE MEASURES									
STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Small spills - wash to sanitary sewer with plenty of water. Large spills - confine spill, soak up with approved absorbent, shovel product into approved container; for spills in excess of allowable quantities (RQ) notify the National Response Center (800) 424 - 8802; refer to SARA Title III, Section 313 40 CFR 372, and CERCLA 40 CFR 302 for complete regulations concerning reporting requirements.									
SECTION 7 - HANDLING AND STORAGE									
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Keep container closed when not in use; protect containers from abuse; protect from extreme temperatures. Keep this and other chemicals out of reach of children.									
SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION									
HAZARDOUS COMPONENTS	NIOSH				ACGIH				
	TWA ppm	TWA mg/m3	STEL ppm	STEL mg/m3	TWA ppm	TWA mg/m3	STEL ppm	STEL mg/m3	
Ethylene glycol (a,b,c)	--	--	--	--	39.4 C	127 C	39.4 (C)	127 (C)	
Zinc oxide (as zinc) (a)	--	5C	--	10	--	10	--	10	
A "C" in the NIOSH or ACGIH column indicates ceiling limits, the concentration that should not be exceeded during any part of the working exposure.									
PERSONAL PROTECTION:									
RESPIRATORY PROTECTION: None required while threshold limits are kept below maximum allowable concentrations; if TWA exceeds limits, NIOSH approved respirator must be worn. Refer to 29 CFR 1910.134, ANSI Z88.2, or European Standard EN 149 for complete regulations.									
PROTECTIVE GLOVES: Neoprene, butyl or nitrile rubber gloves with cuffs.									
EYE PROTECTION: Chemical splash goggles. Refer to 29 CFR 1910.133, ANSI Z87.1, or European Standard EN166.									
OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Safety eyewash station nearby.									
WORK / HYGIENIC PRACTICES: Practice safe workplace habits. Minimize body contact with this, as well as all chemicals in general.									

MATERIAL SAFETY DATA SHEET			
PRODUCT NAME: ASTEC WPM #9 March 9, 2009			Page 3 of 4
SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES			
APPEARANCE AND ODOR White viscous liquid, slight characteristic acrylic odor		VAPOR PRESSURE 17 mm Hg @ 20° C	VAPOR DENSITY (AIR = 1) < 1
pH 9.0 - 9.8		SPECIFIC GRAVITY (WATER = 1) 1.220	
BOILING POINT / BOILING RANGE 212°F (100° C)		SOLUBILITY IN WATER Partially soluble	VISCOSITY Not specified
FLASH POINT Non-flammable		VOLATILE ORGANIC COMPOUNDS (VOC's) 0.1 lbs / gallon (11.9 grams / liter) (calculated on water-free basis)	
FLAMMABLE LIMITS LEL: Not applicable UEL: Not applicable		VOLATILE ORGANIC COMPOUNDS (VOC's) 0.1 lbs / gallon	
AUTOIGNITION TEMPERATURE Not determined		EVAPORATION RATE (WATER = 1) < 1	
SECTION 10 - STABILITY AND REACTIVITY			
STABILITY UNSTABLE: STABLE: X		CONDITIONS TO AVOID: Extreme temperatures.	
INCOMPATIBILITY (MATERIALS TO AVOID): Strong oxidizers, strong acids.			
HAZARDOUS DECOMPOSITION OR BYPRODUCTS: Decomposition will not occur if handled and stored properly. In case of a fire, oxides of carbon, hydrocarbons, fumes or vapors, and smoke may be produced.			
HAZARDOUS POLYMERIZATION MAY OCCUR: WILL NOT OCCUR: X		CONDITIONS TO AVOID: None	
SECTION 11 - TOXICOLOGICAL INFORMATION			
Hazardous Components	CAS # EINECS #	LD50 of Ingredient (Specify Species and Route)	LC50 of Ingredient (Specify Species)
Ethylene glycol (a,b,c)	107-21-1 203-473-3	4700 mg / kg Oral - rat	10876 mg / kg Inhalation - rat
Zinc oxide (as zinc) (a)	1314-13-2 215-222-5	7950 mg / kg Oral - mouse	2500 mg / m3 Inhalation - mouse
(a,c) See Section 15			
SECTION 12 - ECOLOGICAL INFORMATION			
No data are available on the adverse effects of this material on the environment. Neither COD nor BOD data are available. Based on the chemical composition of this product it is assumed that the mixture can be treated in an acclimatized biological waste treatment plant system in limited quantities. However, such treatment should be evaluated and approved for each specific biological system. None of the ingredients in this mixture are classified as a Marine Pollutant.			
SECTION 13 - DISPOSAL CONSIDERATIONS			
WASTE DISPOSAL METHOD: Dispose of in accordance with local, state, and federal regulations. Product is classified as non - hazardous, however, non-hazardous materials may become hazardous waste upon contact with other products. Refer to 40 CFR 260 - 299 for complete waste disposal regulations. Consult your local, state, or federal agency before disposing of any chemicals. According to the European Waste Catalogue, waste codes are application specific and should be assigned by the user based on the application for which the product is used.			
SECTION 14 - TRANSPORT INFORMATION			
PROPER SHIPPING NAME: Non - Hazardous for Transport DOT HAZARD CLASS / Packaging Group: Not regulated REFERENCE: Not Applicable UN / NA IDENTIFICATION NUMBER: None LABEL: None Required HAZARD SYMBOLS: None			
IATA HAZARD CLASS / Packaging Group: Not regulated IMDG HAZARD CLASS: Not regulated RID / ADR Dangerous Goods Code: Not regulated UN TDG Class / Packaging Group: Not regulated Hazard Identification Number (HIN): None			
Note: Transportation information provided is for reference only. Client is urged to consult 49 CFR 100 - 177, IMDG, IATA, EU, United Nations TDG, and WHMIS (Canada) TDG information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping.			

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: ASTEC WPM # 9
March 9, 2009

Page 4 of 4

SECTION 15 - REGULATORY INFORMATION

TSCA (USA - Toxic Substance Control Act)

All components of this product are listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory) or are exempted from listing because a Low Volume or Polymer Exemption has been granted in accordance with 40 CFR 723.50.

SARA TITLE III (USA - Superfund Amendments and Reauthorization Act)

311/312 Hazard Categories

Immediate health

313 Reportable Ingredients:

(a) Indicates a toxic chemical subject to annual reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372.

CERCLA (USA - Comprehensive Response Compensation and Liability Act)

(c) The Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) has notification requirements for releases or spills to the environment of the Reportable Quantity (RQ for this mixture > 24,000 lbs) or greater amounts, according to 40 CFR 302.

California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986

There are no reportable chemicals present known to the state of California to cause cancer or reproductive toxicity.

CPR (Canadian Controlled Products Regulations)

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations. WHMIS Classification: D2B

IDL (Canadian Ingredient Disclosure List)

Components of this product identified by CAS number and listed on the Canadian Ingredient Disclosure List are shown in Section 2.

DSL / NDSL (Canadian Domestic Substances List / Non-Domestic Substances List)

Components of this product identified by CAS number are listed on the DSL or NDSL, or are otherwise in compliance with the New Substances Notification (NSN) regulations. Only ingredients classified as "hazardous" are listed in Section 2 unless otherwise indicated.

EINECS (European Inventory of Existing Commercial Chemical Substances)

Components of this product identified by CAS numbers are on the European Inventory of Existing Commercial Chemical Substances.

WGK Water Quality Index: 1

VbK Index: Not applicable

RISK PHRASES:

R20/22 Harmful by inhalation and if swallowed.

SYMBOL(S) REQUIRED FOR LABEL

Harmful



SAFETY PHRASES:

S2 Keep out of the reach of children.
S24/25 Avoid contact with skin and eyes

SECTION 16 - OTHER INFORMATION

Notes & full R-Phrase text

R20/22 Harmful by inhalation and if swallowed.

HMIS HAZARD RATINGS

HEALTH

1

* = Chronic Health Hazard

2 = MODERATE

FLAMMABILITY

0

0 = INSIGNIFICANT

3 = HIGH

PHYSICAL HAZARD

0

1 = SLIGHT

4 = EXTREME

PERSONAL PROTECTIVE EQUIPMENT

B

Safety Glasses, Gloves

REVISION SUMMARY:

This MSDS has been revised in the following sections:
Format update

MSDS Prepared By:

Comprehensive Data Base, Inc.

P.O. Box 686

Seffner, FL 33583 USA

(863) 644 - 3298 www.compdatabase.com or www.msds.cc

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.